



Development Services Division
620 SE Madison, Unit 6
Topeka, Ks, 66607
Phone: (785) 368-3704
Fax: (785) 368-1650

Sidewalk Permit Application

DATE: _____

Development Services – Application #: _____ Permit fee: \$ _____

- ◆ **An approved sidewalk permit is required to cut, break, remove or in any manner displace or damage any public sidewalk in the city of Topeka.**
- ◆ **All public sidewalks shall be built in compliance with relevant City codes and regulations**
 - The minimum thickness for a sidewalk is 4 inches
 - The minimum strength of the concrete is 4000 PSI
 - The minimum thickness for a driveway (which may cut through a sidewalk) is 6 inches
 - The minimum strength for concrete within a driveway is also 4000 PSI
 - The minimum thickness for a residential driveway is 6 inches
 - The minimum thickness for a curb ramp is 8 inches
 - Sand and gravel is not acceptable for fill
- ◆ **Brick sidewalk construction or replacement is allowed only under special approval and only the use of interlocking paver bricks are allowed, unless replacing existing bricks with the approval of the City Engineer. The placing of bricks in a new sidewalk would require a hold harmless agreement between the owner and the City.**

Sidewalk location (front – side - rear) _____

Owners name _____

Project address _____ Phone #: _____

Contractors name: _____

Address: _____ Phone # _____

Length of the sidewalk to be built & or replaced: _____

Sidewalk width (minimum 4 feet or match existing if larger): _____

CALL FOR AN INSPECTION PRIOR TO PLACING CONCRETE - 368-3971

IT IS THE RESPONSIBILITY OF THE OWNER TO KEEP THE SIDEWALK CLEAN AND PROPERLY MAINTAINED --- SECTION 130-391

IT IS THE RESPONSIBILITY OF THE OWNER TO KEEP SIDEWALK CLEAR OF SNOW AND ICE --- SECTION 130 – 581